PHARMACY COUNCIL OF INDIA

Standard Inspection Format (S.I.F) for institutions conducting D. Pharm course

(To be filled and submitted to PCI by an organization seeking approval of the Course / continuation of the approval)

(SIF-A)

To be filled up by P.C.I.

To be filled up by inspectors

Inspection No.:

Date of Inspection:

FILE No. :17-856

NAME OF THE INSPECTORS:

PART – I A - GENERAL INFORMATION

A – I. 1	
Name of the Institution:	SRI GANGANAGAR INSTITUTE OF
	PHARMACEUTICAL SCIENCE,
	TANTIA UNIVERSITY,
Complete Postal address:	NEAR RIICO BUS STAND, HANUMANGARH ROAD,
	SRI GANGANAGAR (RAJ.)
STD code	0154-
Telephone No.	2494130
Fax No.	2494131
E-mail	registrar@tantiauniversity.com
Year of Establishment	2006
Status of the course conducting body:	
Government / University / Autonomous / Aided /	
Private (Enclose copy of Registration documents of	Private
Society/Trust)	
A – I. 2	
Name of the Society/Trust/ Management (attach	J.R. TANTIA CHARITABLE TRUST (REGD)
documentary evidence)	(Annexure – I)
A 11	2-A-6, SUKHARIA NAGAR, SRI GANGANAGAR
Address STD Code:	0154-
Telephone No:	2481505
Fax No:	2481404
	tantiahospital@yahoo.co.in
E-mail	www.tantiaeducation.org
Web Site:	
A – I. 3	D. A.I. C. C. C.
Name of person to be contacted by phone Address	Dr. Ashwini Gogia
Designation	P-Block, House No. 8, Sri Ganganagar (Rajasthan) Associate Professor
STD Code	0154
Telephone No	2494130
Office	2494130
Office	

Signature of the Head of the Institution

Residence	+91-94140-93060
Mobile No.	0154-2494131
Fax No	registrar@tantiauniversity.com
E-Mail	
A – I. 4	Mr. Chander Deep Bhayana
Name and Address of the Head of the Institution	A-6, Sukharia Nagar, Sri Ganganagar

A -I. 5

FOR INSTITUTION SEEKING CONTINUATION OF APPROVAL

a. Details of Affiliation Fee Paid

(Annexure-II)

Name of the Course	Affiliation Fee paid up to	Receipt No	Dated
D. Pharm	2017-18	474388	05/07/2017

b. APPROVAL STATUS:

(Annexure – III)

Name of the Course	Approved up to	Intake Approved and Admitted	PCI	STATE GOVERNMEN T	UNIVERSITY	Remarks of the Inspectors
D. Pharm	2017-18	Approved Letter No. & Date	17- 856/2015- PCI/29476- 78, Dated: 16/09/2015	F-5(230)/DTE/E- 2/4593, Dated: 08/05/2006	TU/2013/352 dated 14/12/2013 and TU/2013/404 dated 20/12/2013 of Tantia University	
		Approved Intake	60	60	60	
		Actually Admitted	60	60	60	

c. STATUS OF APPLICATION

Course	Extension of Approval	Increase in Intake of Seats	Rem	arks
			Current Intake	Proposed increase in Intake
D. Pharm	Yes	No	60	

Note: Enclose relevant documents

A –I. 6

Whether other Educational Institutions/Courses are also being run by the Trust / Institution in the same Building/campus?

If yes, give status

Separate building exists for different courses in the campus of Tantia University.

A - I.6a

Status of the Pharmacy Course:

Independent Building Yes

Wing of another college No

Separate Campus Yes

Multi Institutional Campus Yes

B - DETAILS OF THE INSTITUTION

B –I .1

Name of the Principal Mr. Chander Deep Bhayana

Qualification/	Qualification*		Teaching Experience Required	Actual experience	Remarks of the Inspectors
Experience	M. Pharm	Yes	05 years	26 Years	
	PhD (Desirable)	No	02 years		

^{*} Documentary evidence should be provided

(Annexure – IV)

B-I.2

For institution seeking continuation of approval

Course	Date of last Inspection	Remarks of the Previous Inspection Report	Complied	Intake reduced/Stopped in the last 03 years*
D. Pharm	17/07/2015	NIL	Yes	No

^{*} Enclose Documents

B –I .3

Pav Scales:

Staff	Scale of pay		PF	Gratuity	Pension benefit	Remarks of the Inspectors
Teaching Staff	AICTE /UGC/State Govt.	Yes	No	No	No	
Non-Teaching Staff	State Government	Yes	No	No	No	

B –I .4

D. Pharm Course: Admission statement for the past three years

ACADEMIC YEAR	2015-16	2016-17	2017-18
Sanctioned	60	60	60
No. of Admissions	60	60	In process
Unfilled Seats			
No. of Excess Admissions		-	-

B –I .5 Academic information: Percentage of $\,$ D. Pharm results for the past three years:

ACADEMIC YEAR	2014-15	2015-16	2016-17
D. Pharm	71%	95%	Result Awaited

$\mathbf{B} - \mathbf{II}$

Co – Curricular Activities / Sports Activities

Co Culticular fictivities, Sports fictivities	
Whether college has NSS Unit (Yes/No)?	No
If no give reasons	As per the State Government policy, Diploma
	Colleges can't run NSS Unit
NSS Programme Officer's Name	
Programme conducted (mention details)	
Whether students participating in University level cultural	Yes
activities / Co- curricular/sports activities	
Physical Instructor	Available
Sports Ground	Shared

Are you associated with other	No
Organization/Institution/Trust/Society	
Running Pharmacy Course	
Organization/Institution/Trust/Society	
Name	
Complete Postal Address	
Telephone	
Nature of Association	

C - FINANCIAL STATUS OF THE INSTITUTION

Audited financial Statement of Institute should be furnished

C .1 Resources and funding agencies (give complete list)

C .2 Please provide following Information

Receipts				Expenditure			
Sl. No.	Particulars	Amount	Sl. No.	Particulars	Amount	of the Inspectors	
1.	Grants a. Government b. Others			CAPITAL EXPENDITURE			
2.	Tuition Fee	3876500/-	1.	Building	49,51,470/-		
3.	Library Fee		2.	Equipment	4,29,162/-		
4.	Sports Fee		3.	Others	10,54,634/-		
5.	Union Fee		REV	REVENUE EXPENDIUTRE			
6.	Others (Caution Money refundable)	533200/-	1	Salary	2837350/-		
			2.	MAINTENANCE EXPENDITURE			
				i College	23690/-		
				ii Others			
			3.	University Fee (If any)			
			4.	Apex Bodies Fee (PCI+AICTE)	156206/-		
			5.	Government Fee			
			6.	Deposit held by the College			
	1		7.	Others	878540/-		
	Total	4409700/-	8.	Misc.Expenditure	513914/-		
	1 ભારા	4407/00/-		Total	4409700/-		

Note: Enclose relevant documents (Annexure-V)

PART- II PHYSICAL INFRASTRUCTURE

1. a. Building : Own b. Land : Own

i) Leased or own Leased Own √

Sale / Agreement deed (records to be enclosed) : --

i) Leased/Rented † (Record to be enclosed) : **Enclosed**

ii) If Own (Approved Building plan & sale deed : Enclosed (Annexure – VI)

to be enclosed)

d. Total Area of the college building in Sq.mts : Built up Area | 2046 Sq.m.

Amenities and Circulation Area 657 Sq. m.

(Annexure – VII) (Map)

2. Class rooms:

Total Number of Class rooms provided

Class	Required	Available	Required Area * for each class room	Available Area in Sq. mts	Remarks of the
				1	Inspectors
D. Pharm	02	02	90 Sq. mts	200 Sq.m.	

^{(*} To accommodate 60 students)

3. Laboratory requirement

Sl.	Name of Infrastructure	Requirement as per	Available		Remarks/
No.		Norms	No.	Area in	Deficiency
				Sq. mts	
1	Laboratory Area for D.Pharm Course	50 Sq mts x n	05	550 Sq.m.	
		(n=05)			
2	Pharmaceutics	01 Laboratory	01	110 Sq.m.	
	Pharmaceutical Chemistry	01 Laboratory	01	110 Sq.m.	
	Physiology and Pharmacology	01 Laboratory	01	110 Sq.m.	
	Pharmacy Practice	01 Laboratory	01	110 Sq.m.	
	Pharmacognosy	01 Laboratory	01	110 Sq.m.	
	Total no. of Labs for D. Pharm Course	05 Laboratories			
	*Animal House	01 (10 sq.mts)		Computer	
				simulated software	
				avialable	
3	Preparation Room for each lab	10 Sq.mts	03	45 Sq.m.	
	(One room can be shared by two labs, if it	(minimum)		_	
	is in between two labs)				
4	Area of the Machine Room	100 Sq mts	01	110 Sq.m.	
5	Aseptic Room	25 Sq mts	01	25 Sq.m.	
6	Store Room – I	1 (Area 20 Sq mts)	01	20 Sq.m.	
7	Store Room - II	1 (Area 20 Sq mts)	01	20 Sq.m.	
	(For Inflammable chemicals)				

* Not required if computer simulated software are available

† The Institutes will not be permitted to run the courses in rented building on or after 31.12.2008

- 1. All the Laboratories should be well lit & ventilated
- 2. All Laboratories should be provided with basic amenities and services like exhaust fans and fume chamber to reduce the pollution wherever necessary.
- 3. The workbenches should be smooth and easily cleanable preferably made of non-absorbent material.
- 4. The water taps should be non-leaking and directly installed on sinks Drainage should be efficient.
- 5. Balance room should be attached to the concerned laboratories.

4. Administration Area:

Sl.	Name of	Requirement	Requirement	Available		Remarks/
No.	infrastructure	as per Norms in number	as per Norms in area	No.	Area in Sq. mts	Deficiency
1	Principal's Chamber	01	20 Sq mts	01	25 Sq.m.	
2	Office – I Including Confidential Room	01	40 Sq mts	01	40 Sq.m.	
3	Staff / Faculty Rooms for D. Pharm course	01	30 Sq mts	01	30 Sq.m.	
4	Library with computer and reprographic facilities	01	100 Sq mts	01	110 Sq.m.	
5	Museum	01	30 Sq mts (May be attached to the Pharmacogno sy Lab)	01	30 Sq.m.	
6	Auditorium / Multi Purpose Hall (Desirable)	01	250 – 300 seating capacity	01	250 Sq.m.	
7	Herbal Garden (Desirable)	01	Adequate Number of Medicinal Plants	01	2723 Sq.m.	

5. Student Facilities:

Sl.	Name of infrastructure	Requirement	Requirement in	Av	ailable	Remarks/
No.		in number	area	No.	Area in Sq. mts	Deficiency
1	Girl's Common Room (Essential)	01	40 Sq mts	01	40 Sq. m.	
2	Boy's Common Room (Essential)	01	40 Sq mts	01	40 Sq. m.	
3	Toilet Blocks for Boys	01	25 Sq mts	02	30 Sq. m. (Two Toilet Block 15 Sq.m. Each)	

4	Toilet Blocks for Girls	01	25 Sq mts	02	30 Sq. m. (Two Toilet Block 15 Sq.m. Each)
5	Canteen (Desirable)	01	100 Sq mts	01	75 Sq.m.
6	Drinking Water facility Water Cooler (Essential)	01		01	Available
7	Boy's Hostel (Desirable)	01	9 Sq mts / Room Single occupancy	01	600 Sq.m.
8	Girl's Hostel (Desirable)	01	9 Sq mts / Room (single occupancy) 20 Sq mts/room (triple occupancy)	01	400 Sq.m.
9	Power Backup Provision (Desirable)	01		01	Available

6. Computer and other Facilities:

Name	Required	Available	Available		Remarks of
			No.	Area in	the Inspectors
				Sq. mts	
Computer (latest Configuration)	1 system for	$\sqrt{}$	14	50	
	every 10 students			Sq.m.	
Printers	1 printer for every	$\sqrt{}$	02		
	10 computers				
Xerox Machine	01		01		
Multi Media Projector	02	V	02		

7. Amenities (Desirable)

Name	Requirement as	Avai	Available		Remarks/	
	per Norms in area	No.	Area in	Available	Deficiency	
			Sq. mts			
Principal quarters	80 Sq. mts			Desirable		
Staff quarters	6 x 80 Sq. mts			Desirable		
Parking Area for staff and students		Adequate	200 Sq.m.			
Bank Extension Counter		Available	30 Sq.m.			
Co operative Stores						
Guest House	80 Sq. mts	01	50 Sq.m.			
Transport Facilities for students		Bus (02)				
Medical Facility (First Aid)		Available				

8. A. Library books and periodicals

The minimum norms for the initial stock of books, yearly addition of the books and the number of journals to be subscribed are as given below: **LIST ENCLOSED**

Sl.	Item	Titles	Minimum Volumes (No)	Available		Remarks
No.		(No)		Titles	Numbers	of the Inspectors
1	Number of books	75	750 adequate coverage of a large number of standard text books and titles in all disciplines of pharmacy (Annexure – VIII)	193	1380	
2	Annual addition of books		75 books per year	08	104	
3	Periodicals Hard copies / online		O6 National Journals Indian Journal of Pharmaceutical Sciences Indian Journal of Pharmaceutical Education and Research Journal of Hospital Pharmacy Indian Journal of Pharmacology CIMS MIMS Indian Journal of Experimental Biology		06	
			(Annexure – IX)			
4	Library Timings - 9.00 a	m to 5.0	00 pm			

8.B. Subject wise Classification:

Sl. No	No Subject		ailable	Remarks of the
	-	Titles	Numbers	Inspectors
1	Pharmaceutics – I	28	145	
2	Pharmaceutical Chemistry – I	10	123	
3	Pharmacognosy	10	119	
4	Biochemistry and Clinical Pathology	10	115	
5	Human Anatomy and Physiology	17	103	
6	Health Education and Community Pharmacy	17	112	
7	Pharmaceutics – II	17	104	
8	Pharmaceutical Chemistry – II	17	126	
9	Pharmacology and Toxicology	20	119	
10	Pharmaceutical Jurisprudence	16	105	
11	Drug Store and Business Management	15	104	
12	Hospital and Clinical Pharmacy	16	105	

8.C. Library Staff:

	Staff:	Qualification	Required	Available	Remarks of the Inspectors
1	Librarian	D. Lib	1	01 (M.Lib)	
2	Library Attenders	10+ 2 /PUC	1	01	

Note: The information provided will be assessed in giving the period of approval

PART III ACADEMIC REQUIREMENTS

Course Curriculum: 1. Student Staff Ratio:	Th	eory 60:1	Practicals 30:2				
(Required ratio Theory \rightarrow 60:1 and Practicals \rightarrow 20:1) If more than 20 students in a batch 2 staff members to be present provided the lab is spacious							
2. Date of Commencement of session:	Commencement	Completion	\neg				
	22/08/2016	27/05/2017					
	No of Days	No o	of Days				
3. Vacation: Sum	mer: 30	Winter: 0	3				
4. Total Number of working days: 205							
5. Time Table:							
Time Table for I and II D. Pharm Enclosed (A	Annexure-X) Ye	s $\sqrt{}$	No				
6. Whether the prescribed numbers of c	lasses are being cor	iducted as ner PC	I norms				

	The	ory		Pract	icals		Remarks of the				
Class / Subject	Prescribed No of Hours	No of Hours Conducted	Prescribed No of Hours	No of Hours Conducted	Prescribed Number of Classes	No of Classes conducted	Inspectors				
I D. Pharm											
Pharmaceutics – I	75	76	100	100	25	25					
Pharmaceutical	75	75	75	75	25	25					
Chemistry – I											
Pharmacognosy	75	75	75	75	25	25					
Biochemistry and	50	52	75	75	25	25					
Clinical Pathology											
Human Anatomy and Physiology	75	76	50	52	25	26					

Health Education and Community Pharmacy	50	50					
II D. Pharm							
Pharmaceutics – II	75	75	100	100	25	25	
Pharmaceutical	100	100	75	75	25	25	
Chemistry – II							
Pharmacology and	75	76	50	52	25	26	
Toxicology							
Pharmaceutical	50	52					
Jurisprudence							
Drug Store and Business	75	76					
Management							
Hospital and Clinical	75	75	50	75	25	25	
Pharmacy							

1. Whether Internal Assessments are conducted periodically as per PCI norms: Enclosed (Annexure-XI)

		_	
	,		
$\mathbf{V}_{\mathbf{e}\mathbf{s}}$	l √	l No	
1 03	· •	110	

8. Whether Evaluation of the internal assessments is Fair Yes $\sqrt{}$ No

	No. of Candidates No. of Candidates No. of Candidates		No.	of	Remarks of				
	scored n	scored more than		scored between		scored between		dates	the
Class	80%		60 -	80%	50 - 60%		Less than 50%		Inspectors
	Th	Pr	Th	Pr	Th	Pr	Th	Pr	
D-Pharma-I	17	20	31	25	12	15			
D-Pharma-II	14	15	36	27	10	18			

9. Workload of Faculty members for D. Pharm

Sl.	Name of the	Subjects taught		D. I	Pharm		Total work	Remarks of
No	Faculty		I D	I D. Ph		II D. Ph		the Inspector
			Th	Pr	Th	Pr		
01	Mr. Chander Deep Bhayana	HAP (TP) P'Cology (TP) P'Cognosy (P)	03	10	03	04	20	
02	Dr. Ashwani Kumar Ghoghia	HECP(T) BCP (P) P'Chem I (P) HCP (TP)	03	12	03	04	22	
03	Mr. Dinesh Kasnia	P'Chem-I (TP) P'Chem-II (TP)	03	06	03	06	18	
04	Ms. Poonam	P'Ceutics-I (T,P) P'Ceutics-II (T,P)	03	08	03	08	22	

Signature of the Head of the Institution

05	Mr. Gosai Ram	BCP (TP) HAP (P) DSBM(T) P'ceutics-II (P)	03	10	03	08	24	
06	Mr. Rakesh Kumar	P'Cognosy (TP) P'ceutics-I (P) P'cology (P)	03	14		04	21	
07	Mr. Surender Kumar Ghorela	P'Juris (T) P'Chem-II (P) HCP (P)			03	10	13	

PART IV - PERSONNEL

TEACHING STAFF.

1. Details of Teaching Faculty for D. Pharm Course to be enclosed in the format mentioned below:

(Annexure – XII)

S No	Name	Designation	Qualification	Date of Joining	Teaching Experience		State Pharmacy Council Reg No.	Signature of the faculty	Remarks of the Inspectors
					After UG	After PG			
1	Mr. Chand er Deep Bhaya na	Principal	M.Pharm	01/08/2 006	02	26	8552		
2	Dr. Ashwa ni Kumar Ghogh ia	Asso. Prof.	B.Pharm, MBA, Ph.D.	25/08/2 006	21	07	10233		
3	Mr. Dinesh Kasnia	Asst. Prof.	B.Pharm	25/08/2 006	11		23612		
4	Ms. Poona m	Asst. Prof.	M.Pharm	18/08/2 017		02	33712		
5	Mr. Gosai Ram	Asst. Prof.	B.Pharm	01/09/2 016	03		A/F		
6	Mr. Rakes h Kumar	Asst. Prof.	B.Pharm	01/09/2 016	03		17663		

7	Mr.	Asst. Prof.	B.Pharm	05/09/2	03	 A/F	
	Surend			016			
	er						
	Kumar						
	Ghorel						
	a						

2. Qualification and number of Staff Members Number of staff members required: 07

Qualification							
B. Pharm M. Pharm PhD Others							
04	02	01					

3. Details of Faculty Retention for:

Name of Faculty Member	Period	Percentage
	Duration of 15 yrs. And above	
Mr.C.D.Bhayana, Mr.Ashwani Ghoghia, Mr.Dinesh Kasnia	Duration of 10 yrs. And above	40 %
	Duration of 5 yrs. And above	
Ms. Poonam, Mr. Gosai Ram, Mr. Rakesh Kumar, Mr. Surender Kumar Ghorela	Less than 5 yrs.	60 %

4. Details of Faculty Turnover

Name of Faculty	Period	More than	50%	25%	Less than
Member		50%			25%
All Faculty Members	% of faculty retained in last 3 yrs	No	YES	No	No

6. No. of Non-teaching staff available for D. Pharm course for intake of 60 Students:

Sl.	Designation	Required	Required	Av	vailable	Remarks of the
No.		Number	Qualification	Number	Qualification	Inspection team
1	Laboratory Technician	02	D. Pharm	02	D-Pharmacy	
2	Laboratory Assistants/	04	SSLC	04	SSLC	
	Attenders					
3	Office Superintendent	01	Degree	01	B.Com	
4	Accountant cum	01	Degree	01	B.Com	
	Clark					
5	Store keeper	01	D. Pharm			
6	Computer Data	01	10+2 with	01	10+2	
	Operator		computer		MS Office	
			training			
7	Peon	02	SSLC	02	SSLC	
8	Cleaning personnel	04		02		
9.	Gardener	01		01		

7. Scale of pay for Teaching faculty (to be enclosed): List Enclosed (Annexure – XIII)

Sl.	Nam	Qualif	Desig	Basi	D	Н	C	Other				Ba	P	EPF A/c	Total	Signature
No	e	ication	natio	c	A	R	C	allow	De	ducti	ons	nk	A	no.		
			n	pay	Rs	A	A	ance				A /	N			
				Rs.		Rs	Rs	Rs.				C	N			
						•	•					N	0			
												0				
									P	TD	Е					
									T	S	P					
											F					

8. Whether facilities for Research / Higher studies are provided to the faculty? (Inspectors to verify documents pertaining to the above)								
9. Whether faculty members are allowed to attend workshops and seminars? (Inspectors to verify documents pertaining to the above)								
10. Scope for the promotion for faculty: Promotions	Yes	$\sqrt{}$	No					
11. Gratuity Provided	Yes		No	$\sqrt{}$				
12. Details of Non-teaching staff members (list to be encl	osed) : L	ist Enclosed (Annexu	re – XIV)				

13. Whether Supporting Staff (Technical and Administrative) are encouraged for Skill Upgradation Programs

Yes

PART V - DOCUMENTATION

Records Maintained: (Essential)

Sl. No	Records	Yes	No	Remarks of the
				Inspectors
1	Admissions Registers	Yes		
2.	Individual Service Register	Yes		
3.	Staff Attendance Registers	Yes		
4.	Sessional Marks Register	Yes		
5.	Final Marks Register	Yes		
6.	Student Attendance Registers	Yes		
7.	Minutes of meetings- Teaching Staff	Yes		
8.	Fee paid Registers	Yes		
9.	Acquittance Registers	Yes		
10.	Accession Register for books and Journals in Library	Yes		
11.	Log book for chemicals and Equipment costing more	Yes		

Signature of the Head of the Institution

	than Rupees one lakh		
12.	Job Cards for laboratories	Yes	
13.	Standard Operating Procedures (SOP's) for Equipment	Yes	
14.	Laboratory Manuals	Yes	
15.	Stock Register for Equipment	Yes	
16.	Animal House Records as per CPCSEA		

PART - VI

1. Financial Resource allocation and utilization for the past three years: Enclosed (Annexure- XV)

\mathbf{S}	Expenditure in Rs.		Expe	enditure ii	n Rs.	Expe	nditure in	Remarks of the		
N	2013-14			2014-15			2015-16			Inspectors*
0.	7	50	ಶ್	يو	ಶ	gu	يو	වි	50	
	al get one	ring	on rrin	get jon	i.i.	on rnin	al get ion	urring	on rnin	
	Total Budget	car	No cur	<u> </u>	car	No tur	t g t c	cur	No tur	
	B. B.	Re	Rec	T Br San	Rec	Ret	T Bu San	Re	Ret	
	• • • • • • • • • • • • • • • • • • • •					, .		, ,		
1	3000000	2779161	264417	3200000	2954617	245383	3400000			

2. Total amount spent on chemicals and glassware for the past three years:

Sl N	Expenditure in Rs. 2013-14		Rs.	Expenditure in Rs. 2014-15			Expenditure in Rs. 2015-16			Remarks of the Inspectors*
0.	Total Budget Allocated	Sanctioned	Incurred	Total Budget Allocated	Sanctioned	Incurred	Total Budget Allocated	Sanctioned	Incurred	
1	Chemicals	10000	9212	Chemicals	15000	9430	Chemicals	15000		
2	Glassware	10000	7418	Glassware	5000	5130	Glassware	15000		

3. Total amount spent on equipments for the past three years:

	Sl N	Expenditure in Rs. 2013-14		Expenditure in Rs. 2014-15			Expenditure in Rs. 2015-16			Remarks of the Inspectors*	
	IN	20.	13-14		2014-15			2015-10			Inspectors*
	0.	Total Budget Allocated	Sanctioned	Incurred	Total Budget Allocated	Sanctioned	Incurred	Total Budget Allocated	Sanctioned	Incurred	
ı	1	Equipment	35000	31121	Equipment	35000	28414	Equipment	35000	30000	

4. Total amount spent on Books and Journals for the past three years:

Sl	Expenditure in Rs.	Expenditure in Rs.	Expenditure in Rs.	Remarks of the
N	2013-14	2014-15	2015-16	Inspectors*

0.	Total Budget Allocated	Sanctioned	Incurred	Total Budget Allocated	Sanctioned	Incurred	Total Budget Allocated	Sanctioned	Incurred	
1	Books	35,000	31600	Books	15000	11240	Books	15000	13500	
2	Jounals	5000	4800	Journals	5000	3000	Journals	5000	4500	

^{*}Last three years including this academic year till the date of inspection

PART VII – EQUIPMENT AND APPARATUS Department wise List of Minimum equipments required for D. Pharm PHARMACEUTICS

Equipment:

Sl. No.	Name	Minimum required Nos.	Available Nos.	Working Yes / No	Remarks of the Inspectors
1	Continuous Hot Extraction Equipment	05	05	Yes	
2	Conical Percolator	05	05	Yes	
3	Tincture Press	01	01	Yes	
4	Hand Grinding Mill	01	01	Yes	
5	Disintegrator	01	01	Yes	
6	Ball mill	01	01	Yes	
7	Hand operated Tablet machine	01	01	Yes	
8	Tablet Coating Pan unit with hot air blower laboratory size	01	01	Yes	
9	Polishing pan laboratory size	01	01	Yes	
10	Monsanto's hardness tester	01	01	Yes	
11	Pfizer type hardness tester	01	01	Yes	
12	Tablet disintegration test apparatus IP	01	01	Yes	
13	Tablet dissolution test apparatus IP	01	01	Yes	
14	Granulating sieve set	10	10	Yes	
15	Tablet counter – small size	05	05	Yes	
16	Friability tester	01	01	Yes	
17	Collapsible tube – Filling and sealing equipment	01	01	Yes	
18	Capsule filling machine – Lab size	01	01	Yes	
19	Digital balance	01	01	Yes	
20	Distillation unit for distilled water	02	02	Yes	
21	Deionisation unit	01	01	Yes	
22	Glass distillation unit for water for injection	01	01	Yes	
23	Ampoule washing machine	01	01	Yes	
24	Ampoule filling and sealing machine	01	01	Yes	
25	Sintered glass filters for bacterial proof filtration (four different grades)	Adequate	Adequate	Yes	

Signature of the Head of the Institution

26	Millipore filter (3 grades)	Adequate	Adequate	Yes	
27	Autoclave	01	01	Yes	
28	Hot air sterilizer	01	01	Yes	
29	Incubator	01	01	Yes	
30	Aseptic cabinet	01	01	Yes	
31	Ampoule clarity test equipment	01	01	Yes	
32	Blender	01	01	Yes	
33	Sieves set (Pharmacopoeial	02	02	Yes	
	standard)				
34	Lab Centrifuge	01	01	Yes	
35	Ointment slab	Adequate	Adequate	Yes	
36	Ointment spatula	Adequate	Adequate	Yes	
37	Pestle and mortar porcelain	Adequate	Adequate	Yes	
38	Pestle and mortar glass	Adequate	Adequate	Yes	
39	Suppository moulds of three sizes	Adequate	Adequate	Yes	
40	Refrigerator	01	01	Yes	

NOTE: Adequate numbers of glassware commonly used in the laboratory should be provided in each laboratory and the department.

PHARMACEUTICAL CHEMISTRY Equipment:

Sl. No.	Name	Minimum required Nos.	Available Nos.	Working Yes / No	Remarks of the
					Inspectors
1	Refractometer	01	01	Yes	
2	Polarimeter	01	01	Yes	
3	Photoelectric colorimeter	01	01	Yes	
4	pH meter	01	01	Yes	
5	Atomic model set	02	02	Yes	
6	Electronic balance	01	01	Yes	
7	Periodic table chart	Adequate	Adequate	Yes	

NOTE: Adequate numbers of glassware commonly used in the laboratory should be provided in each laboratory and the department.

PHYSIOLOGY & PHARMACOLOGY LABORATORY

Equipment:

No. required Nos. Nos. Yes / No Inspectors 1 Haemocytometer 20 20 Yes 2 Haemocytometer 10 10 Yes 3 Student's organ bath 1 1 Yes 4 Sherington's rotating drum 1 1 Yes 5 Frog board Adequate Adequate Yes 6 Tray (dissecting) Adequate Adequate Yes 7 Frontal writing lever Adequate Adequate Yes 8 Aeration tube Adequate Adequate Yes 9 Telethermometer 1 1 Yes 10 Pole climbing apparatus 1 1 Yes 11 Histamine chamber 1 1 Yes 12 Simple lever Adequate Adequate Yes 13 Staring heart lever Adequate Adequate Yes 14 Aerator Adequate <	Sl	Equipment: Name	Minimum	Available	Working	Remarks of the
Haemocytometer		- \\			_	
Haemocytometer	1	Haemoglobinometer	20	20	Yes	
Student's organ bath						
4 Sherington's rotating drum 1 1 Yes 5 Frog board Adequate Adequate Yes 6 Tray (dissecting) Adequate Adequate Yes 7 Frontal writing lever Adequate Adequate Yes 8 Aeration tube Adequate Adequate Yes 9 Telethermometer 1 1 Yes 10 Pole climbing apparatus 1 1 Yes 11 Histamine chamber 1 1 Yes 12 Simple lever Adequate Adequate Yes 13 Staring heart lever Adequate Adequate Yes 14 Aerator Adequate Adequate Yes 15 Histological Slides Adequate Adequate Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 17 Stethoscope 5 5 Yes 18 First aid equipment		ž	10	10		
5 Frog board Adequate Adequate Yes 6 Tray (dissecting) Adequate Adequate Yes 7 Frontal writing lever Adequate Adequate Yes 8 Aeration tube Adequate Adequate Yes 9 Telethermometer 1 1 Yes 10 Pole climbing apparatus 1 1 Yes 11 Histamine chamber 1 1 Yes 12 Simple lever Adequate Adequate Yes 13 Staring heart lever Adequate Adequate Yes 14 Aerator Adequate Adequate Yes 14 Aerator Adequate Adequate Yes 15 Histological Slides Adequate Adequate Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 17 Stethoscope 5 5 Yes 18 First aid equipment <		Č	1	1		
6 Tray (dissecting) Adequate Adequate Yes 7 Frontal writing lever Adequate Adequate Yes 8 Aeration tube Adequate Adequate Yes 9 Telethermometer 1 1 Yes 10 Pole climbing apparatus 1 1 Yes 11 Histamine chamber 1 1 Yes 12 Simple lever Adequate Adequate Yes 13 Staring heart lever Adequate Adequate Yes 14 Aerator Adequate Adequate Yes 15 Histological Slides Adequate Adequate Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 15 Histological Slides Adequate Adequate Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 18			A dequate	A dequate		
7 Frontal writing lever Adequate Adequate Yes 8 Aeration tube Adequate Adequate Yes 9 Telethermometer 1 1 Yes 10 Pole climbing apparatus 1 1 Yes 11 Histamine chamber 1 1 Yes 12 Simple lever Adequate Adequate Yes 13 Staring heart lever Adequate Adequate Yes 14 Aerator Adequate Adequate Yes 15 Histological Slides Adequate Adequate Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 17 Stethoscope 5 5 Yes 18 First aid equipment Adequate Adequate Yes 19 Contraceptive device Adequate Adequate Yes 20 Dissecting (surgical) instruments Adequate Adequate Yes 21			-	_		
8 Aeration tube Adequate Adequate Yes 9 Telethermometer 1 1 Yes 10 Pole climbing apparatus 1 1 Yes 11 Histamine chamber 1 1 Yes 12 Simple lever Adequate Adequate Yes 13 Staring heart lever Adequate Adequate Yes 14 Aerator Adequate Adequate Yes 15 Histological Slides Adequate Adequate Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 17 Stethoscope 5 5 Yes 18 First aid equipment Adequate Adequate Yes 19 Contraceptive device Adequate Adequate Yes 20 Dissecting (surgical) instruments Adequate Yes 21 Balance for weighing						
9 Telethermometer 1 1 Yes 10 Pole climbing apparatus 1 1 Yes 11 Histamine chamber 1 1 Yes 12 Simple lever Adequate Adequate Yes 13 Staring heart lever Adequate Adequate Yes 14 Aerator Adequate Adequate Yes 15 Histological Slides Adequate Adequate Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 15 Histological Slides Adequate Adequate Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 17 Stethoscope 5 5 Yes 18 First aid equipment Adequate Adequate Yes 19 Contraceptive device Adequate Adequate Yes 21 Ba				_		
10			Adequate	Adequate		
11 Histamine chamber 1 1 Yes 12 Simple lever Adequate Adequate Yes 13 Staring heart lever Adequate Adequate Yes 14 Aerator Adequate Adequate Yes 15 Histological Slides Adequate Adequate Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 18 First aid equipment Adequate Adequate Yes 18 First aid equipment Adequate Adequate Yes 20 Dissecting (surgical) instruments Adequate Adequate Yes 20 Dissecting (surgical) instruments Adequate Adequate Yes 21 Balance for weighing small Animals 1 1<			1	1		
Simple lever			1	1		
13 Staring heart lever Adequate Adequate Yes 14 Aerator Adequate Adequate Yes 15 Histological Slides Adequate Adequate Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 17 Stethoscope 5 5 Yes 18 First aid equipment Adequate Adequate Yes 19 Contraceptive device Adequate Adequate Yes 20 Dissecting (surgical) instruments Adequate Adequate Yes 21 Balance for weighing small Animals 1 1 Yes 22 Kymograph paper Adequate Adequate Yes 23 Actophotometer 1 1 Yes 24 Analgesiometer 1 1 Yes 25 Thermometer Adequate Adequate Yes 26 Plastic animal cage Adequate Adequate Yes 27 Double unit organ bath with thermostat 1 1 Yes 28 Refrigerator 1 1 Yes 30 Charts Adequate Adequate Yes 3			1	1		
14 Aerator Adequate Adequate Yes 15 Histological Slides Adequate Adequate Yes 16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 17 Stethoscope 5 5 Yes 18 First aid equipment Adequate Adequate Yes 18 First aid equipment Adequate Adequate Yes 19 Contraceptive device Adequate Adequate Yes 20 Dissecting (surgical) instruments Adequate Adequate Yes 21 Balance for weighing small Animals 1 1 Yes 22 Kymograph paper Adequate Adequate Yes 23 Actophotometer 1 1 Yes 24 Analgesiometer 1 1 Yes 25 Thermometer Adequate Adequate Yes 26 Plastic animal cage Adequate Adequate Yes 27 Double unit organ bath with thermostat 1 1 Yes 28 Refrigerator 1 1 Yes 30 Charts Adequate Adequate Adequate		1		_		
Histological Slides		ŭ	•	_		
16 Sphygmomanometer (B.P. apparatus) 5 5 Yes 17 Stethoscope 5 5 Yes 18 First aid equipment Adequate Adequate Yes 19 Contraceptive device Adequate Adequate Yes 20 Dissecting (surgical) instruments Adequate Adequate Yes 21 Balance for weighing small Animals 1 1 Yes 22 Kymograph paper Adequate Adequate Yes 23 Actophotometer 1 1 Yes 24 Analgesiometer 1 1 Yes 25 Thermometer Adequate Adequate Yes 26 Plastic animal cage Adequate Adequate Yes 27 Double unit organ bath with thermostat 1 1 Yes 28 Refrigerator 1 1 Yes 29 Single pan balance 1 1 Yes 30 Charts Adequate Adequate Yes 31 Human skeleton 1 1 Yes 32 Anatomical specimen (Heart, brain, eye, ear, reproductive system etc) 1 1 Yes			-			
17Stethoscope55Yes18First aid equipmentAdequateAdequateYes19Contraceptive deviceAdequateAdequateYes20Dissecting (surgical) instrumentsAdequateAdequateYes21Balance for weighing small Animals11Yes22Kymograph paperAdequateAdequateYes23Actophotometer11Yes24Analgesiometer11Yes25ThermometerAdequateAdequateYes26Plastic animal cageAdequateAdequateYes27Double unit organ bath with thermostat11Yes28Refrigerator11Yes29Single pan balance11Yes30ChartsAdequateAdequateYes31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)1 set1 setYes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes			•	Adequate		
First aid equipment Adequate Yes Dissecting (surgical) instruments Adequate Adequate Adequate Adequate Adequate Yes Adequate Adequate Adequate Adequate Yes Adequate Adequate Adequate Yes Adequate Adequate						
19 Contraceptive device Adequate Yes 20 Dissecting (surgical) instruments Adequate Yes 21 Balance for weighing small Animals 22 Kymograph paper Adequate Yes 23 Actophotometer 1 1 1 Yes 24 Analgesiometer 1 1 1 Yes 25 Thermometer Adequate Yes 26 Plastic animal cage Adequate Adequate Yes 27 Double unit organ bath with 1 1 Yes 28 Refrigerator 1 1 Yes 29 Single pan balance 1 1 Yes 30 Charts Adequate Adequate Yes 31 Human skeleton 1 1 Yes 32 Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,) 33 Electro-convulsiometer 1 1 Yes 35 Clamp, boss heads, screw clips Adequate Adequate Yes 36 Adequate Adequate Yes 37 Adequate Adequate Yes 38 Refrigerator 1 1 Yes 39 Single pan balance 1 1 Yes 30 Charts Adequate Adequate Yes 31 Human skeleton 1 1 Yes 32 Anatomical specimen Adequate Adequate Yes 33 Electro-convulsiometer Adequate Adequate Yes		ı ı	5	5		
20Dissecting (surgical) instrumentsAdequateAdequateYes21Balance for weighing small Animals11Yes22Kymograph paperAdequateAdequateYes23Actophotometer11Yes24Analgesiometer11Yes25ThermometerAdequateAdequateYes26Plastic animal cageAdequateAdequateYes27Double unit organ bath with thermostat11Yes28Refrigerator11Yes29Single pan balance11Yes30ChartsAdequateAdequateYes31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)11Yes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes	18		Adequate	Adequate		
21Balance for weighing small Animals11Yes22Kymograph paperAdequateAdequateYes23Actophotometer11Yes24Analgesiometer11Yes25ThermometerAdequateAdequateYes26Plastic animal cageAdequateAdequateYes27Double unit organ bath with thermostat11Yes28Refrigerator11Yes29Single pan balance11Yes30ChartsAdequateAdequateYes31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)1 set1 setYes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes	19	Contraceptive device	Adequate	Adequate	Yes	
22Kymograph paperAdequateAdequateYes23Actophotometer11Yes24Analgesiometer11Yes25ThermometerAdequateAdequateYes26Plastic animal cageAdequateAdequateYes27Double unit organ bath with thermostat11Yes28Refrigerator11Yes29Single pan balance11Yes30ChartsAdequateAdequateYes31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)1 set1 setYes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes	20	Dissecting (surgical) instruments	Adequate	Adequate	Yes	
23Actophotometer11Yes24Analgesiometer11Yes25ThermometerAdequateAdequateYes26Plastic animal cageAdequateAdequateYes27Double unit organ bath with thermostat11Yes28Refrigerator11Yes29Single pan balance11Yes30ChartsAdequateAdequateYes31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)1 set1 setYes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes	21	Balance for weighing small Animals	1	1	Yes	
24Analgesiometer11Yes25ThermometerAdequateAdequateYes26Plastic animal cageAdequateAdequateYes27Double unit organ bath with thermostat11Yes28Refrigerator11Yes29Single pan balance11Yes30ChartsAdequateAdequateYes31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)1 set1 setYes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes	22		Adequate	Adequate	Yes	
25ThermometerAdequateAdequateYes26Plastic animal cageAdequateAdequateYes27Double unit organ bath with thermostat11Yes28Refrigerator11Yes29Single pan balance11Yes30ChartsAdequateAdequateYes31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)1 set1 setYes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes	23	Actophotometer	1	1	Yes	
26Plastic animal cageAdequateAdequateYes27Double unit organ bath with thermostat11Yes28Refrigerator11Yes29Single pan balance11Yes30ChartsAdequateAdequateYes31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)1 set1 setYes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes	24	Analgesiometer	1	1	Yes	
27Double unit organ bath with thermostat11Yes28Refrigerator11Yes29Single pan balance11Yes30ChartsAdequateAdequateYes31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)1 set1 setYes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes	25	Thermometer	Adequate	Adequate	Yes	
27Double unit organ bath with thermostat11Yes28Refrigerator11Yes29Single pan balance11Yes30ChartsAdequateAdequateYes31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)1 set1 setYes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes	26	Plastic animal cage	Adequate	Adequate	Yes	
thermostat 28 Refrigerator 29 Single pan balance 30 Charts 31 Human skeleton 32 Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,) 33 Electro-convulsiometer 34 Stop watch 35 Clamp, boss heads, screw clips 1 1 1 Yes 1 1 Yes 1 1 Yes 1 set 1 set 1 set 1 set 1 yes 1 set 1 set 1 Yes 4 Adequate 4 Adequate 4 Adequate 4 Adequate 4 Adequate 4 Adequate 4 Yes	27		ĺ	1	Yes	
29Single pan balance11Yes30ChartsAdequateAdequateYes31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)1 set1 setYes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes		thermostat				
29Single pan balance11Yes30ChartsAdequateAdequateYes31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)1 set1 setYes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes	28	Refrigerator	1	1	Yes	
30ChartsAdequateAdequateYes31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)1 set1 setYes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes			1	1		
31Human skeleton11Yes32Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)1 set1 setYes33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes	30		Adequate	Adequate		
32 Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,) 33 Electro-convulsiometer 1 1 Yes 34 Stop watch Adequate Adequate Yes 35 Clamp, boss heads, screw clips Adequate Adequate Yes			1	1		
(Heart, brain, eye, ear, reproductive system etc.,) 33 Electro-convulsiometer 1 1 Yes 34 Stop watch Adequate Adequate Yes 35 Clamp, boss heads, screw clips Adequate Adequate Yes			1 set	1 set		
system etc.,) 33 Electro-convulsiometer 1 1 Yes 34 Stop watch Adequate Adequate Yes 35 Clamp, boss heads, screw clips Adequate Adequate Yes		<u> </u>				
33Electro-convulsiometer11Yes34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes		`				
34Stop watchAdequateAdequateYes35Clamp, boss heads, screw clipsAdequateAdequateYes	33		1	1	Yes	
35 Clamp, boss heads, screw clips Adequate Adequate Yes						
		<u> </u>	-	_		
	36	Syme's Cannula	Adequate	Adequate	Yes	

NOTE: Adequate numbers of glassware commonly used in the laboratory should be provided in each laboratory and the department.

PHARMCOGNOSY LABORATORY Equipment:

Sl	Name	Minimum	Available	Working	Remarks of the
No.		required Nos.	Nos.	Yes / No	Inspectors
1	Projection Microscope	01	01	Yes	
2	Charts (different types)	Adequate	Adequate	Yes	
3	Models (different types)	Adequate	Adequate	Yes	
4	Permanent Slides	Adequate	Adequate	Yes	
5	Slides and Cover Slips	Adequate	Adequate	Yes	

NOTE: Adequate numbers of glassware commonly used in the laboratory should be provided in each laboratory and the department.

PHARMACY PRACTICE LABORATORY Equipment:

Sl	Name	Minimum	Available	Working	Remarks of the
No.		required Nos.	Nos.	Yes / No	Inspectors
1	Colorimeter	2	2	Yes	
2	Microscope	Adequate	Adequate	Yes	
3	Permanent slides (skin, kidney, pancreas, smooth muscle, liver etc.,)	Adequate	Adequate	Yes	
4	Watch glass	Adequate	Adequate	Yes	
5	Centrifuge	1	1	Yes	
6	Biochemical reagents for analysis of normal and pathological constituents in urine and blood facilities	Adequate	Adequate	Yes	
7	Filtration equipment	2	2	Yes	
8	Filling Machine	1	1	Yes	
9	Sealing Machine	1	1	Yes	
10	Autoclave sterilizer	1	1	Yes	
11	Membrane filter	1 Unit	1 Unit	Yes	
12	Sintered glass funnel with complete filtering assemble	Adequate	Adequate	Yes	
13	Small disposable membrane filter for IV admixture filtration	Adequate	Adequate	Yes	
14	Laminar air flow bench	1	1	Yes	
15	Vacuum pump	1	1	Yes	
16	Oven	1	1	Yes	
17	Surgical dressing	Adequate	Adequate	Yes	
18	Incubator	1	1	Yes	
19	PH meter	1	1	Yes	
20	Disintegration test apparatus	1	1	Yes	
21	Hardness tester	1	1	Yes	
22	Centrifuge	1	1	Yes	
23	Magnetic stirrer	1	1	Yes	
24	Thermostatic bath	1	1	Yes	

NOTE: Adequate numbers of glassware commonly used in the laboratory should be provided in each laboratory and the department.

Observation of the Inspectors:

•				
Compliance of the last recommendations by Inspectors				
G 40 1 10 10 10 10 10 10 10 10 10 10 10 10				
Specific observations if not complied				
	1.			
	1.			
C				
Signature of Inspectors:				
	2.			

Note:

- 1. The Inspection Team is instructed to physically verify the details and records filled up by the college in the application form submitted by the college, which is with you now and record the observations, opinions and recommendations in clear and explicit terms.
- 2. The team is requested to record their comments only after physical verification of records and details.